

Overcoming Barriers To Shared Decision Making

May 18, 2015

1:00 p.m. – 2:30 p.m. ET

Sponsored by:
Agency for Healthcare Research and Quality (AHRQ)



1

Presenters and moderator disclosures

The following presenters and moderator have no financial interest to disclose:

- ▶ Rebecca Burkholder, J.D. (National Consumers League)
- ▶ France Légaré, M.D. (Université Laval, Quebec)
- ▶ Mark Friedberg, M.D. (Brigham and Women's Hospital and Harvard Medical School, RAND Corporation)
- ▶ Alaina Fournier, Ph.D. (Agency for Healthcare Research and Quality)

This continuing education activity is managed and accredited by Professional Education Services Group (PESG) in cooperation with AHRQ, AFYA, and AcademyHealth.

PESG, AHRQ, AFYA, and AcademyHealth staff have no financial interest to disclose.

Commercial support was not received for this activity.

2

Learning objectives

At the conclusion of this activity, the participant will be able to:

1. Identify key barriers to shared decision making from the patient's and provider's perspective.
2. Describe strategies for overcoming barriers to implementing shared decision making.
3. Describe AHRQ's evidence-based initiative to promote shared decision making via the SHARE Approach, and how this program was developed to address common barriers to shared decision making.

3

Barriers To Shared Decision Making From the Patient's Perspective

France Légaré, B. Sc. Arch, MD, PhD, CCFP, FCFP
Canada Research Chair in Implementation of
shared decision making in Primary Care
Laval University (Québec)



AHRQ
Agency for Healthcare Research and Quality
Advancing Evidence in Health Care • www.aahrq.gov



Effective Health Care Program

4

Disclosures

Relevant Financial Relationships

None

5

Learning objectives

- ▶ Identify key barriers to shared decision making (SDM) from the patient's perspective.
- ▶ Describe strategies for overcoming barriers to implementing shared decision making from the patient perspective.

6

Plan

- ▶ Shared decision making
- ▶ Barriers to shared decision making from the patient's perspective
- ▶ Which barriers to shared decision making are common to patients and providers?
- ▶ Effective strategies for addressing barriers to shared decision making

7

Shared decision making (SDM)

- ▶ **Interpersonal** and **interdependent** process
- ▶ Recognizes that a decision is required
- ▶ Highlights best available evidence about risks and benefits of each option
- ▶ Takes into account the provider's guidance and the patient's values and preferences (patient specific)

8

Shared Decision Making is not happening!

shared decision making component	% of studies reporting observation N=33
Acknowledges a shared decision making process	82
Acknowledges the patient's role in decision making and how to deal with the patient's concerns	31
Explores the patient's understanding of the condition and the treatment options	63
Explores the patient's values and preferences	44
Verifies patient understanding of the condition and the treatment options	50
Verifies patient's desire to be involved in decision making	0



Mean OPTION
score :
 $23 \pm 14\%$



Couët & al. 2013

9

What Are the Barriers To Shared Decision Making as Perceived by Patients?

10






Some of These Barriers Are Myths!

15

It takes too much time!



16

We don't know!



9 trials:


7: No difference

1: Longer

1: Shorter

Stacey et al. Cochrane Database Syst Rev. 2014 17

Not everyone wants this!



18

At least some people do!

- ▶ About 26% to 95% of patients, with a median of 52%, would prefer a more active role.
- ▶ Time trend:
 - 50% of studies before 2000 compared to
 - 71% of the studies from 2000 and later
- ▶ Although client participation is linked to favorable client outcomes, the most vulnerable patients (low SES, elderly, immigrants) are less likely to ask for it, and providers are less likely to offer them to share decisions.

Kiesler DJ, Auerbach SM, 2006
Chewning B, et al. 2012
Hibbard JH, Greene J. 2013

19

Not everyone can do this!



20

SDM translates into specific behaviors that are modifiable in patients and providers

Essential behaviors

- Define/explain problem
- Present options
- Discuss pros/cons (benefits/risks/costs)
- Discuss patient values/preferences
- Discuss patient ability/self-efficacy
- Present doctor knowledge/recommendations
- Check/clarify understanding
- Make or explicitly defer decision
- Arrange followup

Makoul & Clayman, 2006

What Can Be Done To Address Barriers To Shared Decision Making as Perceived by Patients?

22

Effective interventions for addressing barriers to shared decision making exist (n=39 trials)

- ▶ Any implementation intervention is better than no implementation intervention at all (i.e., passive dissemination is not effective).
- ▶ **An implementation intervention targeting BOTH patients and providers is superior** to implementation of interventions targeting solely one or the other.



Légaré et al., 2014 Cochrane Review 23

Patient decision aids are needed!


Improve decision quality with...

- ✓ 13% higher knowledge
- ✓ 82% more accurate risk perception
- ✓ 51% better match between values & choices
- ✓ 6% reduced decisional conflict
- ✓ Helps undecided to decide (41%)
- ✓ Patients 34% less passive in decisions
- ✓ Improved patient-practitioner communication (7/7 trials)
- ✓ Potential to reduce **over-use**
 - ✓ -20% surgery
 - ✓ -14% PSA – prostate screening
 - ✓ -27% Hormone replacement tx

Stacey, et al., 2014

Patient decision aids may not be enough!

(Collins ED et al. 2009 in J Clinical Oncology)



25

Public campaign to raise awareness is effective

Person-centred care resource centre



Introduction Explore Person-Centred Care I want to... Blogs I want to find... All Resources

You are here: Home > Resources > Three questions that patients can ask to improve the quality of information physicians give about treatment

Three questions that patients can ask to improve the quality of information physicians give about treatment options: A cross-over trial

Author: Shepherd H., et al. Patient Education and Counselling

Listed under: *Building patient awareness*

Date Reviewed: October 2013

[View resource](#) You will be redirected to an external website

Related resources

Introducing Option Grids

Option Grid

It's ok to ask

NHS Scotland

Tell me three things about your medicine

Newcastle upon Tyne Hospitals NHS Foundation Trust

Testing and refining the 'Ask 3 Questions' campaign promoting shared decision making to patients in Newcastle

- SHEPHERD, H. & al. 2011. Three questions that patients can ask to improve the quality of information physicians give about treatment options: a cross-over trial. *Patient Educ Couns*, 84, 379-85.
- LLOYD, A. & al. 2013 Patchy 'coherence': using normalization process theory to evaluate a multi-faceted shared decision making implementation program (MAGIC). *Implement Sci*, 8, 102.

26

Training of providers is needed!


The screenshot shows the AHRC Health Care Innovations Exchange website. The header includes the logo and navigation links like 'Home', 'What's New', 'Browse By Subject', 'Downloadable Database', 'Videos', 'Scale Up & Spread', 'Articles & Guides', and 'Events'. The main content area features a profile for an innovation with the title: "Online Tutorial and Interactive Workshop Support Physicians in Employing Shared Decisionmaking With Patients, Reducing Antibiotic Use for Acute Respiratory Infections". Below the title, there is a "Snapshot" section and a "Summary" section. A "Contact the Innovator" button is visible on the right side of the profile.

<https://innovations.ahrq.gov/profiles/>

Combined with patient decision aids

This collage displays several patient decision aids (PDAs) for acute respiratory infections. Each PDA is titled "Taking an Antibiotic or Not?" and includes a "Diagnostic Decision Support Tool" and a "Benefits and Risks of Taking an Antibiotic or Not" section. The PDAs are for Acute Rhinosinusitis, Acute Bronchitis, Acute Pharyngitis, Acute Otitis Media, and Acute Respiratory Infections. Each PDA includes a table of diagnostic criteria and a table of benefits and risks. The "Benefits and Risks" table compares the benefits of taking an antibiotic (e.g., "Faster relief of symptoms") with the risks (e.g., "Side effects", "Antibiotic resistance"). The "Decisional Comfort" section includes a checklist of questions to help patients make a decision.

Légaré et al. CMAJ 2012



Key messages

- ▶ To fully reach patient-centered care, patients need support to participate in decision making.
- ▶ Shared decision making is a process whereby patients are supported to make decisions.
- ▶ Facilitators to shared decision making:
 - Patient decision aids
 - Decision coaching
 - Public awareness campaigns
 - Training of health professionals
 - Targeting patients and providers is needed

Citations

Chewning B, Bylund CL, Shah B, et al. Patient preferences for shared decisions: a systematic review. *Patient Educ Couns*. 2012 Jan;86(1):9-18. PMID: 21474265.

Couët N, Desroches S, Robitaille H, et al. Assessments of the extent to which health-care providers involve patients in decision making: a systematic review of studies using the OPTION instrument. *Health Expect*. 2013 Mar 4. PMID: 23451939.

Hibbard JH, Greene J. What the evidence shows about patient activation: better health outcomes and care experiences; fewer data on costs. *Health Aff (Millwood)*. 2013 Feb;32(2):207-14. PMID: 23381511.

Joseph-Williams N, Elwyn G, Edwards A. Knowledge is not power for patients: a systematic review and thematic synthesis of patient-reported barriers and facilitators to shared decision making. *Patient Educ Couns*. 2014 Mar;94(3):291-309. PMID: 24305642.

Kiesler DJ, Auerbach SM. Optimal matches of patient preferences for information, decision-making and interpersonal behavior: evidence, models and interventions. *Patient Educ Couns*. 2006 Jun;61(3):319-41. PMID: 16368220.

Légaré F, Labrecque M, Cauchon M, et al. Training family physicians in shared decision-making to reduce the overuse of antibiotics in acute respiratory infections: a cluster randomized trial. *CMAJ*. 2012 Sep 18;184(13):E726-34. PMCID: PMC3447039.

31

Citations, cont.

Légaré F, Ratté S, Gravel K, Graham ID. Barriers and facilitators to implementing shared decision-making in clinical practice: update of a systematic review of health professionals' perceptions. *Patient Educ Couns*. 2008 Dec;73(3):526-35. PMID: 18752915.

Légaré F, Stacey D, Turcotte S, et al. Interventions for improving the adoption of shared decision making by healthcare professionals. *Cochrane Database Syst Rev*. 2014 Sep 15;9:CD006732. PMID: 25222632.

Légaré F, St-Jacques S, Gagnon S, et al. Prenatal screening for Down syndrome: a survey of willingness in women and family physicians to engage in shared decision-making. *Prenat Diagn*. 2011 Apr;31(4):319-26. PMID: 21268046.

Lloyd A, Joseph-Williams N, Edwards A, et al. Patchy 'coherence': using normalization process theory to evaluate a multi-faceted shared decision making implementation program (MAGIC). *Implement Sci*. 2013 Sep 5;8:102. PMCID: PMC3848565.

Makoul G, Clayman ML. An integrative model of shared decision making in medical encounters. *Patient Educ Couns*. 2006 Mar;60(3):301-12. PMID: 16051459.

Shepherd HL, Barratt A, Trevena LJ, et al. Three questions that patients can ask to improve the quality of information physicians give about treatment options: a cross-over trial. *Patient Educ Couns*. 2011 Sep;84(3):379-85. PMID: 21831558.

Stacey D, Légaré F, Col NF, et al. Decision aids for people facing health treatment or screening decisions. *Cochrane Database Syst Rev*. 2014 Jan 28;1:CD001431. PMID: 24470076.

32



Thank you

France Légaré, M.D., Ph.D., CCFP, FCFP
France.Legare@mfa.ulaval.ca



33



Overcoming Barriers to Shared Decision Making

Primary Care Provider Perspectives

Mark W. Friedberg, M.D., MPP
Senior Natural Scientist
RAND Corporation



34

Disclosures

Relevant Financial Relationships

None

35

Learning objectives

- ▶ Identify key barriers to shared decision making (SDM) from the provider's perspective.
- ▶ Describe strategies for overcoming barriers to implementing shared decision making from the provider's perspective.

36

We evaluated a demonstration of SDM

- ▶ 8 sites containing 34 primary care clinics
 - Selected for prior quality improvement experience
 - Some without prior decision aid experience
- ▶ July 2009 to June 2012
- ▶ Sponsored by the Informed Medical Decisions Foundation
 - Free decision aids
 - Technical assistance
 - Learning collaborative
- ▶ Qualitative evaluation at 18 months

Friedberg MW, Van Busum K, Wexler R, Bowen M, Schneider EC. A demonstration of shared decision making in primary care highlights barriers to adoption and potential remedies. *Health Affairs* 2013;32(2):268-275.

37

Objectives of evaluation

- ▶ Identify barriers and facilitators to implementing shared decision making in primary care settings.
- ▶ Develop options for evaluation and measurement of shared decision making performance.


38

Semi-structured interviews

- ▶ 23 leaders and clinicians from all demonstration sites
- ▶ 10 patients from one site who had each received a decision aid during the demonstration
- ▶ Protocol investigated facilitators and barriers to:
 - Engaging clinicians
 - Integrating decision aids into key operational tasks
- ▶ We analyzed interview responses inductively for recurrent themes

39

Key steps of shared decision making based on decision aids



40

Barriers to shared decision making

- ▶ **Overworked physicians do not recognize decision opportunities and distribute decision aids reliably.**
 - Site leaders who relied on physicians to trigger the distribution of decision aids estimated that only 10 to 30 percent of patients facing decision opportunities received the corresponding decision aids.

41

Barriers to shared decision making

- ▶ **Overworked physicians do not recognize decision opportunities and distribute decision aids reliably.**

“As long as you have the physicians in the middle of [distributing decision aids], they have too many other things on their plate to reliably ensure this would happen every time ... in a 10- to 15-minute appointment.”

“We hear physicians say: ‘I seem to be the problem here, how do I get myself out of the loop so we can get [the decision aids] to people that need to get them?’”

“In the real world ... I’m not sure we can expect the physicians to identify patients.”

42

Barriers to shared decision making

- ▶ Overworked physicians do not recognize decision opportunities and distribute decision aids reliably.

- ▶ **Insufficient provider training**

- Recognizing decision opportunities and having post-decision aid conversations are skills providers must learn.

“We found that physicians felt that they were already doing shared decision making before we introduced the decision aids. To me, it’s not really shared decision making when there is only a 15-minute appointment, and patients can’t really engage in a conversation when they don’t know much about the topic.”

43

Barriers to shared decision making

- ▶ Overworked physicians do not recognize decision opportunities and distribute decision aids reliably.

- ▶ **Insufficient provider training**

- Recognizing decision opportunities and having post-decision aid conversations are skills providers must learn.

“You really have to pay attention to the clinicians in this equation. You can’t just ask them to do something and assume that they’ll know what you mean. ... We under-attended the training of our clinicians.”

44

Barriers to shared decision making

- ▶ Overworked physicians do not recognize decision opportunities and distribute decision aids reliably.
- ▶ Insufficient provider training
- ▶ Inadequate clinical information systems
 - Not able to track the full sequence of steps involved in shared decision making
 - Unable to flag patients as candidates for decision aids or indicate which patients received them
 - Lacked mechanisms for communicating patient-reported values and preferences to providers
 - No longitudinal functions to track patients through the shared decision-making process, including determining whether patients had timely post-decision aid conversations with providers

45

Barriers to shared decision making

- ▶ Overworked physicians do not recognize decision opportunities and distribute decision aids reliably.
- ▶ Insufficient provider training
- ▶ Inadequate clinical information systems
 - Not able to track the full sequence of steps involved in shared decision making
 - Not able to integrate with decision aids

“All of the information from the [decision aid questionnaires] is off the chart. There is documentation that a decision aid was given ... but anything from the surveys is kept completely separate.”

46

Solutions sites employed

▶ Automatic triggers for decision aid distribution

- Trigger on patient age and gender (for screening)

Site leader: "The more automatic you can make it, the more successful decision aids can be in primary care, whether that's having the health tech[nician] prescribe it or having it be an automatic mailing based on visit type. Anything you can do to streamline process and not rely on clinicians' memory to include [the decision aid] as part of visit routine will be a successful strategy."

47

Solutions sites employed

▶ Automatic triggers for decision aid distribution

- Trigger on patient age and gender (for screening)
- Trigger on specialist referrals (for surgical procedures)
 - Relative greater focus of specialist visits may facilitate more reliable performance of post-decision aid conversation.

Site leader: "In the specialty clinic, the [decision aids] are much more frequently discussed. It is a bigger challenge for the primary care practice because there may be several things a patient wants to discuss, but when you see a specialist, you see the doctor for a particular purpose."

48

Solutions sites employed

▶ Automatic triggers for decision aid distribution

- Trigger on patient age and gender (for screening)
- Trigger on specialist referrals (for surgical procedures)
 - Relative greater focus of specialist visits may facilitate more reliable performance of post-decision aid conversation.

▶ Engage team members other than physicians.

- Example: “Decision coach” to introduce the decision aid

Patient: “When you’re with the doctor, you don’t get a chance to ask a lot of questions. ... A nurse I had never met [before] came in and introduced me to [the decision aid]. She had a CD and a book about the surgery. ... Of course I was interested in that.”

49

Measuring the successfulness of implementing shared decision making


▶ Process measures should capture all steps of shared decision making.

- “All-or-none” measures may be appropriate.

▶ Remember, even if a decision aid is prescribed and used, poor performance of the post-DA conversation can completely undermine shared decision making.

- Sobering story: *Lin et al. Consequences of not respecting patient preferences for cancer screening: opportunity lost. Arch Intern Med 2012;172(5):393-4.*

50



Measuring the successfulness of Implementing shared decision making

- ▶ **Process measures** should capture all steps of shared decision making.
 - “All-or-none” measures may be appropriate.
- ▶ **Measures of decision quality**
 - In the end, was care consistent with the patient’s values and preferences?

52

Measuring the successfulness of implementing shared decision making

- ▶ **Process measures should capture all steps of shared decision making.**
 - “All-or-none” measures may be appropriate.
- ▶ **Measures of decision quality**
 - In the end, was care consistent with the patient’s values and preferences?
- ▶ **Indirect measures of shared decision making performance**
 - In theory, shared decision making should produce variability that is driven entirely by patients, not providers.
 - If each provider in an organization has a PSA screening rate of 100% or 0%, the organization is unlikely to have implemented shared decision making successfully.

53

Implications

- ▶ **Achieving shared decision making will require “new operating systems” for primary care practices.**
 - Major investments will be needed to develop and improve educational, operational, and informatics systems.
 - Payment reform may be necessary.

54

Implications

- ▶ Achieving shared decision making will require “new operating systems” for primary care practices.
- ▶ **There are no data yet on the successfulness of shared decision making in medical home implementations.**
 - “Quadruple axel” of primary care: Ability to do this well implies that many other capabilities are present and functioning.
 - Given the degree of difficulty, expect some disappointments as practices figure out how to do this.
 - Watch the measures in this space: Distributing decision aids is not sufficient to guarantee that shared decision making has occurred.

55

Implications

- ▶ Achieving shared decision making will require “new operating systems” for primary care practices.
- ▶ There is no data yet on successfulness of shared decision making in medical home implementations.
- ▶ **Key issue for policy makers: How high to set the bar for deciding what counts as “engagement” in shared decision making**
 - Lower bar: Count or rate of decision aid distribution
 - Higher bar: All-or-none process measures including all steps of shared decision making

56



Thank you

Mark Friedberg, M.D., MPP
mfriedbe@rand.org



57



Development of the SHARE Approach
*Addressing Barriers to Shared Decision Making Identified
by Formative Research During the Development Phase*

Alaina Fournier, Ph.D.

Office of Communications and Knowledge Transfer
Agency for Healthcare Research and Quality (AHRQ)



58

Presentation objective

- ▶ Describe AHRQ's evidence-based initiative to promote:
 - Shared decision making via the SHARE Approach
 - How the program was developed to address common barriers to shared decision making

59

Disclosures

Relevant Financial Relationships

None

60

The Agency for Healthcare Research and Quality

- ▶ AHRQ is a Federal agency that is part of the U.S. Department of Health & Human Services.
- ▶ AHRQ works to produce and disseminate evidence to make health care safer, of higher quality, more accessible, equitable, and affordable.

61

Patient-centered outcomes research (PCOR)

The Affordable Care Act directs AHRQ to disseminate and implement patient-centered outcomes research (PCOR).

PCOR is a type of research that:

- ▶ Assesses the effectiveness of preventive, diagnostic, therapeutic, palliative, or health delivery system interventions
- ▶ Compares the benefits and harms of available interventions
- ▶ Aims to find out how well interventions work in everyday practice settings, not just in clinical trial settings
- ▶ Focuses on outcomes that matter to people

62

AHRQ's Effective Health Care Program

- ▶ **Synthesizes PCOR** through systematic reviews and comparative effectiveness reviews
- ▶ **Translates PCOR** findings into plain-language resources for patients and health care professionals to support decision making
- ▶ **Disseminates PCOR-based decision aids** to those who need them (www.effectivehealthcare.ahrq.gov)



Goal: Improve health care quality and patient health outcomes through informed decision making by patients, providers, and policymakers.

63

AHRQ's Educating the Educator Project

- ▶ Project launched in 2013
- ▶ Aimed to facilitate the dissemination and use of PCOR decision support resources in shared decision making between health professionals and patients



64

AHRQ's SHARE Approach Workshop

Accredited training program on shared decision making

- ▶ Create a **train-the-trainer workshop curriculum** and **collateral tools** to help clinicians learn how to use Effective Health Care and PCOR resources in shared decision making.
- ▶ Conduct **10 workshops** per year across the country.
- ▶ Provide support to trainees with **Webinars, technical assistance, and a learning network.**

65

Formative research approach

- ▶ Literature Review
- ▶ Health Educators Needs Assessment
 - Online Survey: Over 2,300 respondents
 - 7 Focus Groups: Treating and non-treating clinicians
 - 6 Key informant interviews

What are:

- Operational models of shared decision making
- Key competencies for shared decision making
- Health professionals roles
- **Barriers to shared decision making**
- Training approaches

Purpose: To inform the development of a training program that would meet the needs of health care professionals

* OMB No. 0935-0179

66

Identified barriers for providers

- ▶ **Common themes identified (*Survey, focus groups, interviews, literature review*)**
 - Time constraints
 - Belief that “we already do shared decision making”
 - Belief that it is generally not applicable
 - Patients don’t want it.
 - It’s not applicable in most clinical situations.
 - Lack of organizational support
 - Lack of access to trusted sources/decision aids

67

Identified barriers for patients

- ▶ **Common themes identified (*literature review*)**
 - Not knowing that they can and should be involved
 - Health literacy/numeracy barriers
 - Cultural issues
 - Geographic/demographic variables
 - Rural populations
 - Older adults

68

The SHARE Approach

Training design principles to address provider barriers

Barrier	Training Design Facilitators
Time constraints	<ul style="list-style-type: none"> Created a simple five-step process easily implemented with examples Interdisciplinary – leveraging entire health professional team Training that emphasizes time is not as big a barrier when you look at the evidence.(1-6)
“We already do it”	<ul style="list-style-type: none"> Demonstration via video – What does it really look like. Checklist of key activities
Not applicable	<ul style="list-style-type: none"> Training on what the literature actually shows Explicit invitation to be involved
Lack of organizational support	<ul style="list-style-type: none"> Module on implementing shared decision making in the practice setting, including gaining leadership support Administrator/senior leader brief to gain buy-in
Lack of access to PCOR and DA	<ul style="list-style-type: none"> Module on PCOR: What it is, and where and how to find trust resources/decision aids
Lack of know-how	<ul style="list-style-type: none"> Training program Ongoing Webinar series Learning network

SHARE Approach

Training design facilitators for patient barriers


Barrier	Design Facilitator
Not knowing that they have a role to play	<ul style="list-style-type: none"> A key component of the SHARE Approach framework if the INVITATION to participate in decision making
Health literacy and language barriers	Inclusion of a communication module that addresses: <ul style="list-style-type: none"> Role of health literacy, including tools and resources – use of universal precautions
Cultural issues	<ul style="list-style-type: none"> Working with medical interpreters Cultural competency strategies Health numeracy Teach-back with shared decision making
Demographic variables	Implementation module with multiple examples of how shared decision making can be implemented in the practice setting, including: <ul style="list-style-type: none"> Examples of a variety of ways to deliver decision aids

Training resources

► Shared decision-making toolkit on the AHRQ Web site

- Train-the-Trainer workshop curriculum modules
- 9 informational tools (with links to other evidence-based resources)
- Video, screensaver, poster
- Links to other AHRQ resources that support or are related to shared decision making

71



The SHARE Approach Train-the-Trainer Workshop

- ▶ Consists of four modules and a training module (~6.25 hours of training)

Module 1: Shared Decision Making

Module 2: Accessing and using PCOR Resources

Module 3: Communication

Module 4: Putting Shared Decision Making Into Practice

Training Module



73

Ongoing support from AHRQ

- ▶ **AHRQ provides ongoing support activities for participants of the workshop.**
 - SHARE Approach Web conferences
 - Technical assistance to workshop trainees
 - SHARE Approach Learning Network (coming soon!)

74

The SHARE Approach

- ▶ All Effective Health Care materials described here may be found on AHRQ's Effective Health Care Web site:

<http://effectivehealthcare.ahrq.gov/>

- ▶ Shared decision-making tools and resources are available on AHRQ's shared decision-making Toolkit Web site:

<http://www.ahrq.gov/shareddecisionmaking/>

The SHARE Approach Web site also contains information about upcoming SHARE Approach workshops around the country.

75

Citations

1. Duncan E., Best C., Hagen S. Shared decision making interventions for people with mental health conditions. *Cochrane Database Syst Rev* 2010 Jan 20;(1):CD007297. PMID: 20091628.
2. Hamann J., Langer B., Winkler V., et al. Shared decision making for in-patients with schizophrenia. *Acta Psychiatr Scand* 2006 Oct;114(4):265-73. PMID: 16968364.
3. Légaré F., Ratté S., Stacey D., et al. Interventions for improving the adoption of shared decision making by healthcare professionals. *Cochrane Database Syst Rev*. 2010;5:CD006732.
4. Légaré F., Turcotte S., Stacey D., et al. Patients' perceptions of sharing in decisions: a systematic review of interventions to enhance shared decision making in routine clinical practice. *Patient*. 2012;5(1):1-19.
5. Loh A., Simon D., Wills C.E., et al. The effects of a shared decisionmaking intervention in primary care of depression: a cluster-randomized controlled trial. *Patient Educ Couns* 2007 Aug;67(3):324-32. PMID: 17509808.
6. Stacey D., Bennett C.L., Barry M.J., et al. Decision aids for people facing health treatment or screening decisions. *Cochrane Database Syst Rev*. 2014;1:CD001431.

76




Alaina Fournier
alaina.fournier@ahrq.hhs.gov OR
SHARE@ahrq.hhs.gov

Agency for Healthcare Research and Quality

77

Obtaining CME/CE Credits



If you would like to receive continuing education credit for this activity, please visit:
<http://etewebinar.cds.pesgce.com/eindex.php>

78

How To Submit a Question

- ▶ At any time during the presentation, type your question into the “Q&A” section of your WebEx Q&A panel.
- ▶ Please address your questions to “All Panelists” in the dropdown menu.
- ▶ Select “Send” to submit your question to the moderator.
- ▶ Questions will be read aloud by the moderator.
- ▶ SHARE@ahrq.hhs.gov

